

73rd MORSS CD Cover Page

712CD

For office use only 41205

UNCLASSIFIED DISCLOSURE FORM CD Presentation

21-23 June 2005, at US Military Academy, West Point, NY

Please complete this form 712CD as your cover page to your electronic briefing submission to the MORSS CD. Do not fax to the MORS office.

<u>Author Request</u> (To be completed by applicant) - The following author(s) request authority to disclose the following presentation in the MORSS Final Report, for inclusion on the MORSS CD and/or posting on the MORS web site.

Name of Principal Author and all other author(s): Capt Susan Lynch	
Principal Author's Organization and address:	Phone:(210) 652-4121
AETC SAS 151 J Street East, Suite 2 Randolph AFB, TX 78150	Fax: (210) 652-6895
•	Email:susan.lynch@randolph.af.mil_
Original title on 712 A/B: Simulation Modeling of the AETC Flying 1	Fraining
Revised title:AETC Flying Training Capacity Model_	
Presented in (input and Bold one): (WG_22, CG, Special Session	n, Poster, Demo, or Tutorial):

This presentation is believed to be: UNCLASSIFIED AND APPROVED FOR PUBLIC RELEASE

Report Documentation Page					Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.							
1. REPORT DATE 21 JUN 2005		3. DATES COVERED					
4. TITLE AND SUBTITLE					5a. CONTRACT NUMBER		
Flying Trainig Cap	pacity Model Initial		5b. GRANT NUMBER				
	5c. PROGRAM ELEMENT NUMBER						
6. AUTHOR(S)				5d. PROJECT NU	JMBER		
				5e. TASK NUMBER			
				5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) AETC SAS 151 J Street East, Suite 2 Randolph AFB, TX 78150 8. PERFORMING ORGANIZATION REPORT NUMBER							
9. SPONSORING/MONITO	RING AGENCY NAME(S) A	ND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited							
13. SUPPLEMENTARY NOTES See also ADM201946, Military Operations Research Society Symposium (73rd) Held in West Point, NY on 21-23 June 2005., The original document contains color images.							
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFIC	CATION OF:	18. NUMBER	19a. NAME OF				
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	ABSTRACT UU	OF PAGES 15	RESPONSIBLE PERSON		

Air Education and Training Command

Sustaining the Combat Capability of America's Air Force



FLYING TRAINING
CAPACITY MODEL
Initial Results
MORSS 2005


Capt Susan Lynch
21-23 Jun 05
AETC Studies & Analysis Squadron



Overview



- Objective
- Background
- FAA Model
- Capacity Metrics
- SAS Model
- Initial Results
- Conclusions
- Way Ahead





Objective



- Determine the flying training capacity for 6 bases:
 - Sheppard AFB
 - Randolph AFB
 - Moody AFB
 - Columbus AFB
 - Laughlin AFB
 - Vance AFB
- Develop versatile flying training capacity simulation model for AETC
- Reconcile metrics between FAA model and AETC operational models



Background



- FAA Circular 150/5060-5: Airport Capacity and Delay dated 9-23-83 (with changes 1 & 2) only readily available model used to calculated airfield operational capacity
- HQ AETC/DO generates flying training capacity via Flying Training Resources Analysis and Programming (FTRAP) model
- Jan 05 AETC/XP tasked SAS to generate flying training capacity
- Jun 05 AETC SAS briefed AETC/XP on model results
- Currently Model results being validated with HQ AETC/DOR and flying training bases



FAA Model



- FAA Circular 150/5060-5: Airport Capacity and Delay, dated Sep 83
 - No soft copies of circular exist
 - FAA has not been updating circular
- FAA uses two models to estimate airport capacities
 - SIMMOD
 - TAAMS (Total Airspace & Airport Modeler) by Boeing
- Differences between FAA circular/models and AETC flying operations
 - FAA Advisory Circular: Airport Capacity & Delay BBP, dated 14
 Feb 05
 - Circular does not take circular pattern of small trainer aircraft into consideration
 - Circular does not concentrate on training launch intervals—primary limiting factor in AF operations
 - FAA and AETC models use different capacity metrics



FTRAP Model



- FTRAP model is proven
 - Currently used by HQ AETC to program flying training students
 - Based on previous simulation model
 - Provides maximum sustainable student capacity numbers by base
- FTRAP model is not versatile
 - Excel spreadsheets based on corporate knowledge
 - Requires flying training subject matter expert (SME) inputs



Capacity Metrics



- FAA Capacity Metrics Runway Operations
 - Based on runway operations landing and take-offs
 - Consider maximum runway IFR & VFR operations
 - Capacity given in terms of runway operations per year
- AETC Capacity Metrics Graduates
 - Based on sortie generation
 - Consider traffic in training patterns required to complete sorties
 - Capacity given in terms of UPT graduates per year
- Translating AETC capacity metrics into FAA capacity metrics
 - Compared FAA operations / hour and AETC operations / graduate
 - Calculated runway operations / year from actual graduates



SAS Model




- Data and assumptions from FTRAP model & bases
 - Weather data by base
 - Maintenance records and interviews by base
 - Daylight hours modeled based on historical data—most student sorties occur during day
- Sorties built from flying training syllabus in coordination with Instructor Pilots (IPs) from each course
- Airspace capacities from base operations SMEs
 - Runway capacities
 - Military Operating Area capacities (including aux fields)
 - Training route capacities
- Resources are variable by base
 - Number of aircraft
 - Daily student load
 - Student arrivals
 - Flying schedules




SAS Model



Sheppard AFB



Lawton Air Field





SAS Model



Courses modeled (in Arena application)

Sheppard	AFB	Columb	ous AFB	Laugh	lin AFB	Vano	e AFB	Mood	y AFB	Randol	ph AFB
Course	# Sorties	Course	# Sorties	Course	# Sorties	Course	# Sorties	Course	# Sorties	Course	# Sorties
ENJJPT T37	93	T1	57	T1	57	T1	57	T6	65	T1 PIR	22
ENJJPT T37 PIT	71	T37 ALP	126	T6	65	T37	68	IFF	24	T1 PIT	44
ENJJPT T38	100	T37	68	T38A	100	T38C	98			T6 PIT	44
ENJJPT T38 PIT	71	T38C	98	T38C	98					T6 IPT	29
ENJJPT IFF	34									T37 PIR	27
ENJJPT IFF PIT	29									T37 PIT	50
										T38C PIR	29
										T38C PIT	71
398		3	49	3	320	2	223	3	19	3′	16
ENJJPT – Euro NATO Joint Jet Pilot Training				Total So	rties Mod	leled	1695				

ENJJPT – Euro NATO Joint Jet Pilot Training

T37 – Primary Trainer

PIT – Pilot Instructor Training

T38 – Fighter/Bomber Trainer

IFF – Introduction to Fighter Fundamentals

T1 – Heavy Trainer

ALP - Aviation Leadership Program

IPT - Instructor Pilot Transition

PIR – Pilot Instructor Requalification



Columbus Initial Results



Graduates Metric

FY04 Graduates	Primary T-37	T-37 ALP	T38	T1
Actuals	344	19	126	227
FTRAP Projection	383	36	125	230
SAS Model Projection	366	33	139	206
·	•			
Maximum Capacity	T-37 Primary / ALP		T38	T1
FTRAP Estimate	428		147	219
SAS Model Projection	454		182	225
·				
FY04 Operating Cap	T-37 Primary / ALP		T38	T1
FTRAP Estimate	98%		85%	105%
SAS Model Projection	88%		76%	92%

SAS Model validated within variance of FY04 actuals & FTRAP estimates



Columbus Initial Results



Runway Operations Metric

FY04 Graduates	Primary T-37	T-37 ALP	T38	T1
Actuals	213000	16000	99000	132000
SAS Model Projection	227000	22000	109000	119000
	•			
Maximum Capacity	T-37 Primary / ALP		T38	T1
FTRAP Estimate	265000		115000	127000
SAS Model Projection	281000		142000	130000
FAA Estimate	461000		426000	275000
	•			
FY04 Operating Cap	T-37 Primary / ALP		T38	T1
FTRAP Estimate	98%		85%	105%
SAS Model Projection	89%		77%	92%
FAA Model Estimates	56%		23%	48%

FAA Model overestimates current capacity at Columbus AFB



Conclusions



- Accurately determined the flying training capacity
 - SAS model validated with FY04 actual grads and FTRAP historical programming estimates for all 6 bases
 - Predicts future graduate capacity within 4% of actual operational capacity
- Developed versatile flying training capacity simulation model for AETC
 - Projects bases ability to accept additional flying training missions
 - Projects maximum student capacity based on current weather, maintenance, aircraft and airspace availability
- Reconciled metrics between FAA model and AETC operational models
 - Translated student graduates into operations per hour
 - Showed the FAA model overestimates current capacity at all AETC flying training bases



Sustaining the Combat Capability of America's Air Force





Integrity - Service - Excellence